

Applicant:



中国认可
国际互认
检测
TESTING
CNAS L0220

Number: GZHT90833491

Date: Oct 17, 2018

Sample Description:

Two (2) groups of submitted sample said to be:

(A) One (1) piece of 100% polyester 250GSM CANVAS ANTIACID COVERALL SAMPLE protective clothing with Green.

(B) One (1) piece of Green fabric used for protective clothing.

Standard : EN 13034:2005+A1:2009
Size (s) Range : L
Styles/Models No. : -
Colors : GREEN
Background Fabric : 100% POLYESTER 250GSM CANVAS ANTIACIDO
Retroreflective Material : 100% POLYESTER REFLECTIVE TAPE
Collar : 100% POLYESTER 250GSM CANVAS ANTIACIDO
Ribbing/Cuffs : 100% POLYESTER 250GSM CANVAS ANTIACIDO
Zipper : RESIN ZIPPER
Manufacturer :
Country Of Original : CHINA
Date Received/Date Test Started: Sep 30, 2018
Date Final Information Confirmed/ : -/Oct 17, 2018
Date Payment Received:

Test Result Please Refer To Attached Page(5).

Should you have any query on this report, you may contact at gzfootwear@intertek.com

Authorized By:

For Intertek Testing Services Shenzhen Ltd.

Guangzhou Branch

Huang Ning, Andy
Assistant General Manager



Page 1 Of 4

ML / kayyu

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 02, 1-8/F. & Room 01, E101/E201/E301/E401/E501/E601/E701/E801,
No.7-2, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, Guangdong, China
广州经济技术开发区科学城彩频路7号之二第1-8层02房、01房101、
E201、E301、E401、E501、E601、E701、E801
Tel: +86 208213 9001 Fax: +86 20 82089909 Postcode: 510663

3/F., Hengyun Building, 235 Kaifa Ave., Guangzhou
Economic & Technological Development District, Guangzhou,
China
中国广州经济技术开发区开发大道235号恒运大厦3楼
Tel: +86 20 83966868 Fax: +86 20 82228169 Postcode: 510730

- 1 Pre-Treatment Before Testing (Cleaning)
(EN 13034:2005+A1:2009(E), 4.1 & EN 14325:2004, 4.2 & 4.3 & ISO 6330:2012)

Wash Condition:	Sample B
Washing Standard:	ISO 6330:2012
Machine:	Type A
Reagent:	Reference Detergent 6
Washing Procedure:	4H
Bleaching Procedure:	Do Not Bleach
Drying Procedure:	Tumble Drying Possible No Temperature
Ironing Procedure:	Do Not Iron
Professional Textile Care Procedure:	Do Not Dry Clean
Number Of Cycles:	5

- 2 Resistance To Penetration By Liquids
(EN 13034:2005+A1:2009, 4.1 & EN 14325:2004, 4.13 & BS EN ISO 6530:2005(C1))

Sample	Chemical	Concentration Weight (%)	Specimen	Penetration Index (%)	Requirement	Pass/Fail
(B)	H ₂ SO ₄	30%	1	1.01	-	-
			2	1.85	-	-
			3	1.18	-	-
			4	1.09	-	-
			5	1.68	-	-
			6	2.17	-	-
Performance Level (*):			2	At Least Level 2 (< 5%)	Pass	

Sample	Chemical	Concentration Weight (%)	Specimen	Penetration Index (%)	Applicant's Requirement	Pass/Fail
(B)	Nitric Acid	50%	1	1.57	-	-
			2	2.51	-	-
			3	1.66	-	-
			4	1.75	-	-
			5	2.60	-	-
			6	2.74	-	-
Performance Level (*):			2	At Least Level 2 (< 5%)	Pass	

Remark: * = The Performance Level Is Determined By The Highest Of The Six Values.

NOTE: The Performance Level Below Refers To EN 14325:2004, Clause 4.

Performance Level	1	2	3
Penetration Index	< 10%	< 5%	< 1%

3 Fibre Analysis:

Regulation (EU) No 1007/2011


(B)

Marked

100% Polyester

Remark: This Test In The Report Is Not Included In The CNAS Accreditation Schedule For Our Laboratory.

Remark: This Test Was Conducted At 3F, Hengyun Building, No.235 Kaifa Avenue, GETDD



End Of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.