

SOCIEDAD IMPORTADORA MARITEX SPA
AVENIDA EL SALTO 1979, RECOLETA, SANTIAGO, CHILE

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A) Knitted fabric (320g 100% Recycled Polyester Polar Fleece)

Buyer : SOCIEDAD IMPORTADORA MARITEX SPA
Brand : NOLK
Sample Color : (A) Navy Blue
Composition : (A) 100% Recycled Polyester
Style No. : 1301, 1302
P.O. No. : #NK0724-1024
Country of Origin : China
Country of Destination : Chile
Garment Fit : Normal
Proposed Care Instruction : Maximum washing temperature 30°C normal process, do not bleach, do not dry clean, iron on low heat


Sample Receiving Date : Sep 20, 2024
Testing Period : Sep 23, 2024 - Sep 25, 2024
Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).

Test Performed : Selected test(s) as requested by applicant

Conclusion	A	Remark
Fabric Propensity to Surface Pilling, Fuzzing or Matting: Modified Martindale Method	PASS	

Remark(s) : PASS=Meet General Requirement

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd



Alice Wang (Authorized Signatory)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Result

Fabric Propensity to Surface Pilling, Fuzzing or Matting: Modified Martindale Method

(ISO 12945-2:2020; Martindale Abrasion & Pilling Tester, Total load applied 155g)

As Received

After 125 Revolutions

	Unit	A	Requirement
-			
Pilling Rating	-	4-5	-
Fuzzing Rating	-	4-5	-
Matting Rating	-	N/A	-

After 500 Revolutions

	Unit	A	Requirement
-			
Pilling Rating	-	4	-
Fuzzing Rating	-	4	-
Matting Rating	-	N/A	-

After 1000 Revolutions

	Unit	A	Requirement
-			
Pilling Rating	-	4	-
Fuzzing Rating	-	4	-
Matting Rating	-	N/A	-

After 2000 Revolutions

	Unit	A	Requirement
-			
Pilling Rating	-	4	-
Fuzzing Rating	-	4	-
Matting Rating	-	N/A	-

After 5000 Revolutions

	Unit	A	Requirement
-			
Pilling Rating	-	4	-
Fuzzing Rating	-	4	-
Matting Rating	-	N/A	-

After 7000 Revolutions

	Unit	A	Requirement
-			
Pilling Rating	-	3-4	Min.3-4
Fuzzing Rating	-	4	Min.3-4
Matting Rating	-	N/A	-

Remarks:

Grade	Pilling Description
5	No change



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

- 4 Partially formed pills
- 3 Moderate pilling — pills of varying size and density partially covering the specimen surface
- 2 Distinct pilling — pills of varying size and density covering a large proportion of the specimen surface
- 1 Severe pilling — pills of varying size and density covering the whole of the specimen surface

- Grade Fuzzing Description
- 5 No change
 - 4 Slight surface fuzzing
 - 3 Moderate surface fuzzing
 - 2 Distinct surface fuzzing
 - 1 Dense surface fuzzing

- Grade Matting Description
- 5 No change
 - 4 Slight surface matting
 - 3 Moderate surface matting
 - 2 Distinct surface matting
 - 1 Dense surface matting

Sample Photo



Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report

Scan to see the report



SL52425331262201TX

Verification:
check.sgsonline.com.cn

